


De benchmark in
complete technische
informatie voor uw
garage.



WorkshopData™ Tech

HaynesPro Tech is een **intuïtief, gebruiksvriendelijk systeem** dat in de loop van vele jaren verder is verfijnd. Het systeem bevat alle belangrijke informatie over mechanische reparaties.

Niet alleen de **kwaliteit, juistheid, bruikbaarheid** en **relevantie** van data zijn belangrijk, maar ook hoe de data worden **gepresenteerd** aan de gebruiker.




Identificatiegegevens

IDENTIFICATIE- GEGEVENS

Het vinden van uw voertuig is heel eenvoudig.

De identificatiecodelocaties bieden u een aanbevolen methode om uw voertuig te identificeren. HaynesPro Tech biedt verschillende zoekopties, zoals motorcode, Europese typegoedkeuring en VIN. Afhankelijk van het land kan ook op kenteken worden gezocht.

FUNCTIES	Car SET	Truck SET
VIN- en identificatielocaties	✓	✓
VIN-decoder	✓	✓
Uitrustingscodes	✓	




Onderhoud

ONDERHOUD

Duidelijk, compleet en vooral praktisch.

Via een centraal overzicht van de OEM-onderhoudsintervallen kunt u snel de benodigde service vinden.

De intervallen voor service-items geven snel onderhoudsinformatie (tijd en kilometrage) voor specifieke componenten.



Service item	Interval
Air filter <td>every 90,000 km</td>	every 90,000 km
Brake fluid <td>first change at 36 months; then every 24 months</td>	first change at 36 months; then every 24 months
Engine oil <td>15,000 km/12 months</td>	15,000 km/12 months
Filter, interior air <td></td>	
Fuel filter <td></td>	
Oil filter <td></td>	

Vervolg op de volgende pagina

CarsTrucksOrganiserSettings

HaynesProWorkshopData™

A4 /A4 Allroad (Bk) 2.0 TDi (CAHA) 2008 - 2012

EstimateGBP6.00

Back to overviewMaintenance SchedulePrint

Every 300,000 km/240 months (OE: 01 03 00 12)...

STANDARD TIME1.60EXTRA TIME2.00TOTAL TIME (H)3.60

Parts required4Hide

Show mandatory parts onlyShow all spare parts

Unit Price (GBP)Quantity

Engine oil8.906X

Oil filter6.201.00X

Timing belt1.00X

Timing belt set128.401.00X

Additional work8Hide

OE: 20 34 19 50Renew the fuel filter every 60,000 km+ 0.40+

OE: 23 24 19 60Renew the air filter every 90,000 km+ 0.20+

OE: 15 24 19 60Renew the timing belt(s) every 180,000 kmTiming belt renewal intervals may be subject to updates and may differ regionally+ 2.00X

OE: 26 74 03 50Diesel particulate filter: check the saturation with a diagnostic tool first check at 150,000 km; then every 30,000 km+ 0.10+

OE: 26 88 25 50Selective catalytic reduction (SCR): check the fluid level; top up if necessary every 15,000 km+ 0.10+

OE: 37 02 55 50CVT: renew the fluid every 60,000 km+ 0.50+

OE: 01 40 00 50Braking system: renew the brake fluid first change at 36 months; then every 24 months+ 0.50+

OE: 85 18 19 50Renew the dust and pollen filter every 30,000 km/24 months

* Parts may be requiredRepair ManualsTechnical Drawings

Engine

Brakes

Check the brake fluid level; top up if necessary *Go to Lubricants page

Check the brake pad thickness *Go to Adjustment Data page

Check the brake lines, hoses and connections for leaks and damage *

Suspension, wheels and tyres

Check the tread depth and wear pattern on all the tyres, including the spareFOLLOW UPRenew four tyres+ 1.20

Check the tyre pressures; adjust if necessaryGo to Adjustment Data page

Reset the tyre pressure monitoring system *Tyre pressure monitoring system

Check the tyre sealant can expiry date

Ball joints: check the condition (check for play)

Electrical System

Check the battery magic eye *

Check the battery charge, using an appropriate battery tester *FOLLOW UPCheck the battery fluid level; top up if required+ 0.10

FOLLOW UPCharge the battery+ 0.10

FOLLOW UPRenew the battery+ 0.90

Er zijn complete, afdrukbare onderhoudsschema's per merk, model en type, weergegeven per interval en uitgesplitst naar onderwerp (motor, remmen, ...) of locatie (motorruimte, onderzijde van het voertuig, ...).

Ook aanvullende werkzaamheden worden weergegeven volgens de aanbevelingen van de OEM. Bij alle taken worden de OEM-code en de tijd vermeld. Boven en onder aan de pagina wordt bovendien de totale tijd weergegeven.

Een unieke functie is de vermelding van logische vervolgwerkzaamheden, zodat het werkblad gemakkelijker ingevuld kan worden.

FUNCTIES	Car SET	Truck SET
Onderhoudsschema's (op OEM gebaseerd)	✓	✓
Afdrukbare werkbladen	✓	✓
Smart Links naar afstelgegevens	✓	✓
Links naar onderdelen	✓	✓
Vergelijken	✓	
Extra werkzaamheden	✓	✓
Servicetijden	✓	✓
Instructies voor het resetten van service-indicators	✓	✓
Intervallen voor vervanging distributieriem	✓	
Procedures voor banden-spanningsbewaking	✓	✓



SMART LINKS

Waar dit handig is, zijn links ingevoegd naar afstelwaarden, naar gedetailleerde, van toelichtingen voorzien technische tekeningen van componenten of naar subsecties over andere aspecten van de werkzaamheden.

Er zijn instructies voor het ontkoppelen en weer aansluiten van accu's en voor het resetten van service-indicators en systemen voor bandenspanningsbewaking.

Smart Links naar belangrijke onderwerpen:



AFSTELGEGEVENS



SMEERMIDDELEN EN VLOEISTOFFEN



REPARATIEHAND-LEIDINGEN



REPARATIETIJDEN



TECHNISCHE TEKENINGEN

Smart Links naar andere functies en onderwerpen:

- Carrosserie en lak-rapport
- Voertuiginspectierapport
- Bandeninspectierapport

Check the steering assembly for damage, wear and leaks *			☒
Check the power steering fluid level; top up if necessary			☒
Brakes			
Check the brake fluid level; top up if necessary *			☒
Go to Lubricants page			
Check the brake pad thickness *			☒
Go to Adjustment Data page			
Check the brake lines, hoses and connections for leaks and damage *			☒
Suspension, wheels and tyres			
Check the tread depth and wear pattern on all the tyres, including the spare			☒
FOLLOW UP Renew four tyres	☐ + 1.20		☒
Check the tyre pressures; adjust if necessary			☒
Go to Adjustment Data page			
Reset the tyre pressure monitoring system *			☒
Tyre pressure monitoring system			
Check the tyre sealant can expiry date			☒
Ball joints: check the condition (check for play)			☒
Electrical System			
Check the battery magic eye *			☒
Check the battery charge, using an appropriate battery tester *			☒
FOLLOW UP Check the battery fluid level; top up if required	☐ + 0.10		☒
FOLLOW UP Charge the battery	☐ + 0.10		☒
FOLLOW UP Renew the battery	☐ + 0.90		☒
Check the function of the exterior lights *			☒
Check the headlight alignment; adjust if necessary			☒
Check the lighting system and horn functions *			☒
Check the luggage compartment light(s) *			☒
Check the function of the interior warning lights			☒
Check the operation of the multimedia system *			☒
Reset the service indicator			☒
Service indicator reset			
Exterior			
Check the windscreen wipers and washing system *			☒
Windscreen wipers: service position			
Check the windscreen wiper park position *			☒
Check the headlight washing system			☒
Check/lubricate the bonnet hinges and safety catch *			☒
Check the entire underside of the vehicle for leaks, corrosion and damage *			☒
Check all the exterior paintwork for corrosion and damage *			☒
Check the body for corrosion and damage			☒
Go to Body and Paint Report page			
General			
Test drive			☒
TOTAL TIME (h)	EXTRA TIME	STANDARD TIME	
3.60	2.00	1.60	
			Add to Cost Estimate

HaynesPro®

All trademark names mentioned herein are for reference purpose only and are not intended to suggest any connection between HaynesPro and such companies. All trademarks are the property of their respective owners.
Version: 7.2.1-RC23



A member of the Haynes Publishing Group

Reparatiedata

HaynesPro WorkshopData™

A4 /A4 Allroad (8K) 2.0 TDi (CAHA) 2008 - 2012

Estimate 6.00

Adjustment Data

Engine (general)

Engine (specifications)

Emissions

Cooling system

Electrical

Basic data

(J1L)

(J2D)

(J0L)

(J1N)

(J0R)

(J0B)

(J1U)

(J0P)

(J0Z)

Brakes

Basic data

Brembo, Front disc brakes, (1LM)

Brembo, Front disc brakes, (1LW)

Front disc brakes, (FN3)

Front disc brakes, (FBC)

Rear disc brakes, (Cil 43)

Steering and wheel alignment

Emissions

Basic data

Basic data

Steering

Basic data

(Manual transmission), (0B2)

(Manual transmission), (0B1)

Rear differential, (0BC), (4WD)

(- 03/2012)

(04/2012 - 10/2013)

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SAS14), (08/2011 -)

Denso, (6SE314), (03/2012 -)

Torque settings

Engine

(Manual transmission), (0B2)

(Manual transmission), (0B1)

Rear differential, (0BC), (4WD)

Basic data

Basic data

Steering

Basic data

(Manual transmission), (0B2)

(Manual transmission), (0B1)

Rear differential, (0BC), (4WD)

(- 03/2012)

(04/2012 - 10/2013)

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SAS14), (08/2011 -)

Denso, (6SE314), (03/2012 -)

Engine (general)

Emissions

Engine code CAHA

Capacity 1968 (cc)

Distribution type

Oil pressure > 2.0 / 2.000 (bar)

Maximum cylinder head distortion 0.1 (mm)

Diesel particulate filter: maximum ash deposit mass 0.175 (bar/rpm)

Drive belt layout

Ride height, front 384 (mm)

Refrigerant (Refer to the sticker under the bonnet)

Denso, (6SEU14), (- 03/2012)

Air-conditioning compressor oil 150 ± 10 (ml)

Denso, (7SEU17), (- 03/2012)

Air-conditioning compressor oil 150 ± 10 (ml)

Renew the bolts

Stage 1 40 (Nm)

AFSTELGEGEVENS

Met het woord **'uitgebreid'** doen we deze informatie nog tekort.

De veelomvattendheid van de informatie in dit onderdeel van Tech kan niet zomaar worden omschreven als 'uitgebreid'. Er zijn enorm veel specificaties, uiteenlopend van aanhaalmomenten tot ontstekingsvolgordes, van stationaire toerentallen tot NOx-emissies en van de druk op de dop van het koelsysteem tot de slijtagegrenzen van de remschijven.

FUNCTIES	Car SET	Truck SET
Aandrijfriem	✓	
Wieluitlijning	✓	✓
Emissiedata	✓	✓
Bandenmaten en bandendruk	✓	
Aanhaalmomenten	✓	✓
Airconditioning-vulpluggen	✓	
Capaciteitsgegevens	✓	✓
Slijtagegrenzen	✓	✓



SMEERMIDDELEN EN VLOEISTOFFEN

Alle specificaties voor oliën en vloeistoffen in één overzicht.

Alle denkbare specificaties zijn hier beschikbaar, met handige links naar bijbehorende informatie voor extra gebruiksgemak en met technische illustraties van de locaties van vul- en aftappluggen.

FUNCTIES

Car
SET

Truck
SET

Kwaliteit en viscositeit



Capaciteit en
aanhaalmomenten



Locatie van vul- en
aftappluggen



CarsTrucksOrganiserSettings

HaynesProWorkshopData™

A4 /A4 Allroad (8K) 2.0 TD (CAHA) 2008 - 2012Estimate0.00

Back to overview

Lubricants and Fluids

Print

Engine

Cooling system

Basic data

(Manual transmission), (0B2)

(Manual transmission), (0B1)

Rear differential, (0BC), (4WD)

Steering

(- 03/2012)

(04/2012 - 10/2013)

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SAS14), (08/2011 -)

Denso, (6SES14), (03/2012 -)

Engine

Cooling system

Basic data

(Manual transmission), (0B2)

(Manual transmission), (0B1)

Rear differential, (0BC), (4WD)

Steering

(- 03/2012)

(04/2012 - 10/2013)

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SAS14), (08/2011 -)

Denso, (6SES14), (03/2012 -)

(Manual transmission), (0B1)

Rear differential, (0BC), (4WD)

Steering

(- 03/2012)

(04/2012 - 10/2013)

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SAS14), (08/2011 -)

Denso, (6SES14), (03/2012 -)

Engine

Engine oil

SAE 5W-30

VW 507 00

All temperatures

Engine sump, including filter 5.0 (l)

Engine oil drain plug 30 (Nm)

Cooling system

Coolant (Water with 40% anti-freeze)

TL-VW 774G (G12++)

Above -25 °C

Coolant (Water with 50% anti-freeze)

TL-VW 774G (G12++)

Above -35 °C

Coolant (Water with 60% anti-freeze)

TL-VW 774G (G12++)

Above -40 °C

Cooling system 8.0 (l)

Basic data

Brake fluid

VW 501 14

Brake system 1.0 (l)

(Manual transmission), (0B2)

Gear oil

VW G 055 532 A2

Manual transmission

Gearbox refill 4.8 (l)

Plug location (Filler/level plug)

(Manual transmission), (0B2)

Steering

Power steering fluid

VW G 004 000

(- 03/2012)

Refrigerant

R134a

Denso, (6SES14), (03/2012 -)

Compressor oil

VW G 052 300 A2

Air-conditioning compressor oil 110 ± 10 (ml)

ENLARGE

ENLARGE

ENLARGE

HaynesPro

All trademark names mentioned herein are for reference purpose only and are not intended to suggest any connection between HaynesPro and such companies. All trademarks are the property of their respective owners.
Version: 7.4.0-RC3

Member of the Haynes Publishing Group

HaynesPro



REPARATIEHAND- LEIDINGEN

Gedetailleerde stap- voor-stap instructies voor reparatie en onderhoud.

Tech biedt gedetailleerde stap-voor-stap instructies voor reparatie- en onderhoudswerkzaamheden die specifieke procedures vereisen voor een bepaald voertuig, ook al zijn ze verder routinematig. Ook hier biedt Tech duidelijke technische illustraties, zo nodig met referentienummers voor speciale gereedschappen. Op deze manier helpt Tech u de productiviteit te verhogen en de workflow in uw garage te verbeteren.

FUNCTIES	Car SET	Truck SET
Distributieriem: uitbouwen/inbouwen	✓	
Distributieketting: uitbouwen/inbouwen	✓	
Multiriem: uitbouwen/ inbouwen	✓	
Koppeling: uitbouwen/ inbouwen	✓	✓
Handgeschakelde transmissie: uitbouwen/ inbouwen	✓	
Koelsysteem: aftappen/ vullen	✓	
Roetfilter	✓	✓
Accuprocedures	✓	
(Semi-)automatische transmissievloeistof: niveau controleren en aftappen/vullen	✓	✓
Bandenspanningsbewa- king (TPMS)		✓
Klepspelingen		✓
Injector: uitbouwen/ inbouwen		✓

HaynesPro WorkshopData™

A4 /A4 Allroad (8K) 2.0 TD (CAHA) 2008 - 2012

Estimate 0.00

Timing belt: removal/installation

Parts required 8

Warnings and recommendations

Unless otherwise advised by the manufacturer, the following procedures are recommended:

Always fit a new timing belt after removal

Coolant pump renewal is recommended after timing belt removal

Check the tensioner and idler pulleys; renew if necessary

Removal

Disconnect the battery

Battery: procedures for disconnection/reconnection

Remove the engine lower cover

Vehicles with additional heater

Steering

Power steering fluid VW G 004 000

(- 03/2012)

Refrigerant R134a

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SAS14), (08/2011 -)

Denso, (6SES14), (03/2012 -)

(Manual transmission), (0B1)

Rear differential, (0BC), (4WD)

Steering

(- 03/2012)

(04/2012 - 10/2013)

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SAS14), (08/2011 -)

Denso, (6SES14), (03/2012 -)

Denso, (6SES14), (03/2012 -)

Compressor oil VW G 052 300 A2

Air-conditioning compressor oil 110 ± 10 (ml)

HaynesPro

All trademark names mentioned herein are for reference purpose only and are not intended to suggest any connection between HaynesPro and such companies. All trademarks are the property of their respective owners.

Version: 7.4.0-RC3

Member of the Haynes Publishing Group



REPARATIE TIJDEN

Een realistisch tijdkader.

HaynesPro past de officiële reparatietijden (van de OEM) aan om rekening te houden met bijbehorende werkzaamheden, zodat de gegevens meer in overeenstemming zijn met de werkelijkheid. De module bevat informatie over een groot aantal inbegrepen werkzaamheden, zodat overlappingen berekend kunnen worden. Door het vermelden van vervolgwerkzaamheden voorkomen we dat er arbeidstijd over het hoofd wordt gezien. Dit draagt bij tot het maximaliseren van de omzet.

FUNCTIES

Car
SET

Truck
SET

Overlapttechnologie	✓	✓
Specifieke en algemene tijden	✓	✓
Vervolgwerkzaamheden	✓	✓
Links naar onderdelen	✓	✓

CarsTrucksOrganiserSettings

HaynesProWorkshopData™

A4 /A4 Allroad (8K) 2.0 TD (CAHA) 2008 - 2012Estimate GBP 661.00

Back to overview

Repair Times

Print

Total repair times

JOBS2

TOTAL TIME (H)7.10

PARTS REQUIRED3

Hide details

Add to work order

Jobs

Renew the timing belt kit and the coolant pump4.10

FOLLOW UP

Renew the crankshaft front radial seal3.00

Parts required

Unit Price (GBP)

Quantity

Water pump & timing belt set128.501.00

Tensioner, timing chain0.001.00

Shaft seal, crankshaft16.501.00

Fuel system

Exhaust system

Gearbox

Automatic transmission

Drivetrain

Electrical components

Steering

Front axle

Front suspension

Rear axle

Rear suspension

Wheels and tyres

Petals

Brakes (Mechanical)

Brakes (Electric)

Cylinder head

Plywheel/flexplate

Plywheel

Crankshaft

Valve cover

Valve

Timing

1B01515000 Remove/refit the upper timing cover0.20

FOLLOW UP

1B01541910 Repair the timing belt cover+0.10

1B01516000 Renew the upper timing cover0.20

FOLLOW UP

1B01541910 Repair the timing belt cover+0.10

1B01541800 Check the timing belt cover; clean if necessary0.10

1B01541910 Repair the timing belt cover0.10

1B02001000 Check the timing belt condition and tension0.40

FOLLOW UP

1B02003100 Renew the timing belt

FOLLOW UP

1D04003000 Renew the coolant pump

1B02002400 Renew the timing belt tensioner pulley

Remove/refit timing belt cover

INCLUDED

Clean sealing surface(s)

INCLUDED

Remove/refit water pump

INCLUDED

Drain/fill/check level of coolant

INCLUDED

Remove/refit right timing belt tensioner roller

INCLUDED

Remove/refit left timing belt tensioner roller

INCLUDED

Remove/refit engine timing belt tensioner pulley

INCLUDED

Remove/refit engine timing toothed belt

INCLUDED

Remove/refit lower timing belt cover

INCLUDED

Remove/refit upper toothed belt cover

INCLUDED

Remove/refit crankshaft vibration damper

INCLUDED

Remove/refit drive belt

INCLUDED

Loosen/tighten front lock carrier

INCLUDED

Remove/refit lower engine cover

INCLUDED

Remove/refit upper engine cover

FOLLOW UP

1A20032000 Renew the crankshaft front radial seal+3.00

1B02002500 Renew the timing belt kit3.20

FOLLOW UP

1A20032000 Renew the crankshaft front radial seal+3.00

1B02003000 Remove/refit the timing belt2.90

FOLLOW UP

1D04003000 Renew the coolant pump+3.80

FOLLOW UP

1A20032000 Renew the crankshaft front radial seal+3.00

1B02003100 Renew the timing belt+2.90

FOLLOW UP

1D04003000 Renew the coolant pump+3.80

FOLLOW UP

1A20032000 Renew the crankshaft front radial seal+3.00

1B02005900 Remove/refit the timing belt tensioner pulley3.00

FOLLOW UP

1B02003100 Renew the timing belt+2.90

1B02006000 Renew the timing belt tensioner pulley3.00

Algemene functie

HaynesPro WorkshopData™

A4 /A4 Allroad (8K) 2.0 TDi (CAHA) 2008 - 2012 Estimate GBP 691.00

Cost estimate

Jobs

	Rate (GBP)	Time (h)	Total (GBP)
Time/distance dependent service, (~ 2009) Every 90,000 km/72 months	65.00	1.30	84.50
Renew the timing belt kit and the coolant pump	65.00	4.10	266.50
FOLLOW UP Renew the crankshaft front radial seal	65.00	3.00	195.00
Time margin 0.0 %		Total Time 8.40 (h)	
Subtotal			GBP 546.00

* Parts may be required Repair Manuals Technical Drawings Lubricants and Fluids Adjustment Data

Parts

	Unit Price (GBP)	Quantity	Price (GBP)
Engine oil	0.00	1.00	0.00
Oil filter	0.00	1.00	0.00
Shaft seal, crankshaft	16.50	1.00	16.50
Water pump & timing belt set	128.5	1.00	128.50
Subtotal			GBP 145.00

Grand Total GBP 691.00
VAT Rate 21.00 %
VAT GBP 145.11
Grand Total with VAT GBP 836.11

Reset Save

HaynesPro All trademark names mentioned herein are for reference purpose only and are not intended to suggest any connection between HaynesPro and such companies. All trademarks are the property of their respective owners. Version: 7.4.0-RC3

PRIJSOPGAVE

De prijsopgave is het vertrekpunt voor snelle kostenramingen op basis van intelligente koppelingen tussen data, reparatietijden en onderdelen. Het resultaat kan gemakkelijk worden geëxporteerd voor gebruik bij het bestellen van onderdelen.

Belangrijkste functies en eigenschappen:

- Gecombineerd overzicht van geselecteerde onderhouds- en reparatiewerkzaamheden
- Mogelijkheid om werkzaamheden en onderdelen handmatig toe te voegen
- Handige exportfunctie



TECHNISCHE TEKENINGEN

Meer dan **100.000**
hoogwaardige
technische tekeningen.

Een plaatje zegt meer dan 1000 woorden. En HaynesPro heeft meer dan 100.000 hoogwaardige technische tekeningen in zijn database. Dit zijn geen generieke afbeeldingen, maar speciaal gemaakte illustraties waarin bepaalde onderdelen zijn gemarkeerd om gemakkelijker herkenbaar te zijn, en met rechtstreekse links naar een onderdelencatalogus om het bestellen te vereenvoudigen. Aanhaalmomenten worden in de tekening vermeld, zodat de desbetreffende bouten en moeren correct worden aangedraaid. Bovendien wordt aangegeven welke bouten of moeren op een gegeven moment vervangen moeten worden en of het gebruik van borgmiddelen noodzakelijk is.

FUNCTIES

Car
SET

Truck
SET

Links naar onderdelen

✓

✓

Aanhaalmomenten

✓

✓

Brake, components, front,
exploded view

Rear disc brakes, (CII 43)

Brake, components, rear,
exploded view

(Manual transmission), (OB1,
OB2)

Gear shift lever assembly

Gearbox mount

Differential

Propeller shaft

Rear differential, (OBC), (4WD)

Differential

(2WD)

Subframe, front

Suspension, front

Subframe, rear

Suspension, rear

Shock absorber, rear

(4WD)

Subframe, front

Suspension, front

Subframe, rear

Suspension, rear

Shock absorber, rear

(Estate, Saloon)

Steering column

Power steering rack

Electron

Bumper, removal, rear

Steering column

Power steering rack

Electronic power steering rack

(Convertible)

Steering column

Power steering rack

Electronic power steering rack

Air conditioning

Air conditioning, components

(- 2012)

Seat belts, front

Seat belts, rear

Bumper, removal, front

Bumper, removal, rear

(Allroad), (- 2012)

Seat belts, front

Seat belts, rear

Bumper, removal, front

Bumper, removal, rear


Steering column

Power steering rack

Electronic power steering rack

(Convertible)


Steering column



Parts required 1

Show


Print




Parts required 4

Show

Print




Print




(2WD)

Print



- Bumper, removal, rear
- Steering column
- Power steering rack
- Electronic power steering rack
- (Convertible)
- Steering column
- Power steering rack
- Electronic power steering rack
- Air conditioning
- Air conditioning, components
- (- 2012)
- Seat belts, front
- Seat belts, rear
- Bumper, removal, front
- Bumper, removal, rear
- (Allroad), (- 2012)
- Seat belts, front
- Seat belts, rear
- Bumper, removal, front
- Bumper, removal, rear
- Steering column
- Power steering rack
- Electronic power steering rack
- (Convertible)
- Steering column
- Power steering rack
- Electronic power steering rack
- Air conditioning
- Air conditioning, components
- (- 2012)
- Seat belts, front
- Seat belts, rear
- Bumper, removal, front
- Bumper, removal, rear
- Steering column
- Power steering rack
- Electronic power steering rack
- (Convertible)
- Steering column
- Power steering rack
- Electronic power steering rack
- Air conditioning
- Air conditioning, components
- (- 2012)
- Seat belts, front
- Seat belts, rear
- Bumper, removal, front
- Bumper, removal, rear
- (Allroad), (- 2012)
- Seat belts, front
- Seat belts, rear
- Bumper, removal, front
- Bumper, removal, rear
- Steering column
- Power steering rack
- Electronic power steering rack




■ Renew bolts/nuts

Parts required 6

Show

Front disc brakes, (FN3)

Print




■ Renew bolts/nuts

Parts required 6

Show

Print



Terugroepacties




TERUGROEPACTIES

Zorg dat het voertuig aan alle veiligheidsnormen voldoet door de klant te informeren over eventuele terugroepacties voor het voertuig.

HaynesPro Tech bevat ook officiële informatie over terugroepacties, zodat de voertuigen altijd aan de veiligheidseisen voldoen.

FUNCTIES	Car SET	Truck SET
OEM-terugroepacties vanwege veiligheid	✓	✓
Koppeling naar foutcodes en gerelateerde cases	✓	✓



SmartPACK™

Filter results

Vehicle area: [v] Fault code: [v]

Noise: [v] Defect: [v]

Operating condition: [v]

Sort results: Most recent data first [v]

Overview

Maintenance

Repair Data

Electronics

SmartPACK™ 77

All 77 SmartCASE™ 17 Recall data 4 Technical Service Bulletins 56


Recall data

Airbag deployment failure (05/12/2014, WAUZZZ8K*DA000698 - WUAZZZ8K*DA902932, 01/11/2011 - 15/10/2014, OE: R/2014/146 (69K5)) >

Airbag deployment failure (05/12/2014, WAUZZZ8K*FA000781 - WUAZZZ8K*FA900814, 01/11/2011 - 15/10/2014, OE: R/2014/146 (69K5)) >

Airbag deployment failure (05/12/2014, WAUZZZ8K*EA000867 - WUAZZZ8K*EA902051, 01/11/2011 - 15/10/2014, OE: R/2014/146 (69K5)) >

Reduced braking efficiency (01/10/2014, WAUZZZ8K*DA178051 - WUAZZZ8K*DA178051, 01/01/2012 - 27/08/2014, OE: R/2014/098 (47L8)) >



[Back to overview](#) **Reduced braking efficiency** [Print](#)

01/10/2014 R/2014/098 (47L8) VIN # - WAUZZZ8KXDA178051 WUAZZZ8KXDA178051 Date 2012-01-01 - 2014-08-27

Defect

Engine oil leakage into the brake servo via the vacuum feed line; Damaged brake servo diaphragm; Increased brake pedal effort

Solution

Renew the vacuum line

Disclaimer

The recall bulletins are provided for information purposes only. The customer should be directed to the appropriate franchised dealer for rectification of the issues identified in the Safety Recall notice. This ensures that the repair is fully carried out in accordance with the provisions of the Safety Recall notice and any updated provisions thereof. It will also ensure that both the manufacturer's database (the list of affected vehicles) and the country-specific licensing agency are informed that the recall has been actioned.

Clearly better data.

HaynesPro B.V.
Flankement 6
3831 SM Leusden
Nederland

Tel: +31 (0)35 603 6270
E-mail: sales@haynespro.com
Website: www.haynespro.com